

## SPEC SHEET + MEASUREMENTS

**FLEXFIT®**

Flexfit Delta® Perforated Cap. FF180AP

### Product photo



Complete with perforated back panels, this cap blends stain-blocking and water-repellent properties with a seamless technology that fuses panels together.

- 92/8 polyester/PU spandex (Solids)
- 100% polyester (Melange)
- 100% polyester undervisor
- Stain-Block sweat absorbing technology
- Flexfit® Technology for comfort and enhanced fit
- ActiveGuard™ Tech to diffuse sweat through the undervisor more effectively
- Permacurv® bill to maintain proper shape and curve
- Hybrid Tech and EcoDry moisture wicking and water-repellent technologies
- Structured
- Low-profile
- 1 row of stitching on bill
- Stitch-free seamless panels
- Perforated back panels
- Stretch sweatband
- Adjustable 7-position snapback closure
- Black Delta logo on right side

### Sketches



front

PRODUCT MEASUREMENTS

| OSFA                    |       |
|-------------------------|-------|
| Bill/Visor Length       | 2 3/4 |
| Crown Height            | 6 5/8 |
| Width of Front Panel(s) | 7     |

**Bill/Visor Length:** Measure from outside edge of bill to crown seam at center front.

**Crown Height:** Measure from middle of button at top, to brim seam along center front.

**Width of Front Panel(s):** Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

SIZE CHARTS

| OSFA      |                |
|-----------|----------------|
| Hat Size  | 6 1/2- 7 7/8   |
| Head Size | 20 3/8- 24 5/8 |

HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head. Divide number by 3.14 for hat size.

COLORS

---



Black



Dark Grey



Navy



White